

# AKI in Transplant patients

Dr. Amirhesam Alirezaei
Associate professor of Nephrology; SBMU – Modarres Hospital







13:00 - 16:40 Acute Kidney Injury Saturday, 06. June 2020

**BROWN 1-2** 



#### **AKI** in transplant patients



Exact epidemiology not clear

Varying terminology, including overlap with delayed graft function and rejection

Different criteria for diagnosis of AKI



Marlies Ostermann
AKI in kidney transplantation Begins in the operation room and
lasts forever





### **AKI** in transplant patients



Month 2 - 3> 3 months < 48hours after 48hours - 1 week 2-4 weeks **ACUTE TUBULAR INJURY** Ischemia reperfusion injury Surgical complications Bleeding, occlusion of vascular anastomosis Urinomas Obstruction post-stent removal Immunological causes REJECTION Drug toxicity including Calcineurin inhibitor, antimicrobials Infections Long-term impact



Acuta Madiaina 2010.17



#### **AKI in transplant patients**



#### First 48 hours post Tx

#### **Potential causes**

Acute tubular injury: due to prolonged ischaemia time

haemodynamic instability

Surgical complications: occlusion of vascular anastomosis

bleeding / perirenal haematoma

Immunological risks: hyper-acute rejection



#### **Marlies Ostermann**

AKI in kidney transplantation -Begins in the operation room ar lasts forever





#### **Risk of AKI during transplantation**



REVIEW

Open Access

## Perioperative fluid management in kidney transplantation: a black box



Maria Helena Calixto Fernandes<sup>1\*</sup>, Thomas Schricker<sup>1</sup>, Sheldon Magder<sup>2</sup> and Roupen Hatzakorzian<sup>1,2</sup>

Transplanted kidney is denervated → lack of neurogenic regulation of renal blood flow

Lack of tools to monitor renal microcirculation


Target BP and optimal cardiovascular parameters unknown

Critical Care (2018) 22:14

#### **Marlies Ostermann**

AKI in kidney transplantation -Begins in the operation room ar lasts forever







#### **Marlies Ostermann**

AKI in kidney transplantation -Begins in the operation room ar lasts forever






FULLY VIRTUAL JUNE 6-9, 2020



#### AKI and impact on immune system





#### **Marlies Ostermann**

AKI in kidney transplantation -Begins in the operation room and lasts forever






FULLY VIRTUAL
JUNE 6-9. 2020



#### **Outcome after non-transplant AKI**







#### **Marlies Ostermann**

AKI in kidney transplantation -Begins in the operation room and lasts forever





JUNE 6-9, 2020



#### **AKI in transplant patients**



## Effect of Recipients' Peri-Operative Parameters on the Outcome of Kidney Transplantation

121 patients undergoing 1st cadaver kidney transplantation

Mean intraoperative BP:

Patients with non-functioning grafts: 81 +/- 31 mmHg
Patients with delayed graft function: 90 +/- 24 mmHg

Patients with good graft function: 108 + /- 26 mmHg (p < 0.01)



#### **Marlies Ostermann**

AKI in kidney transplantation -Begins in the operation room and lasts forever

Clin Transplant 1998;12(6):511-517





JUNE 6-9, 2020



#### **AKI in transplant patients**



## Effect of Recipients' Peri-Operative Parameters on the Outcome of Kidney Transplantation

121 patients undergoing 1st cadaver kidney transplantation

Mean intraoperative BP:

Patients with non-functioning grafts: 81 +/- 31 mmHg
Patients with delayed graft function: 90 +/- 24 mmHg

Patients with good graft function: 108 + /- 26 mmHg (p < 0.01)

Kidney function differences observed in first 5 days post-Tx remained similar at the end of the next 2 yr.

Clin Transplant 1998;12(6):511-517



#### **Marlies Ostermann**

AKI in kidney transplantation -Begins in the operation room and lasts forever





JUNE 6-9, 2020



#### CEPD AKI post transplant and renal outcome

#### Acute Kidney Injury as a Risk Factor for Transplant Graft Failure

Motonobu Nakamura\*, Shoko Horita, Masashi Suzuki, Osamu Yamazaki, Nobuhiko Satoh and George Seki

#### Mehrotra et al

Patient number	289	27,232
Institute	Single	Multiple
Donor type	Living only	Living (24%) and deceased (76%)
Observation period	4 years	3 years
AKI identification method	RIFLE criteria	ICD-9-CM codes
AKI occurrence rate (%)	20.4	11.3
Hazard ratio for graft failure		
<sup>a</sup> Mild AKI	2.28	2.74
<sup>b</sup> Severe AKI	3.95	7.35

J Transplant Technol Res 2014;4:2



#### **Marlies Ostermann**

AKI in kidney transplantation -Begins in the operation room and lasts forever



JUINE 6-9, ZUZU




#### **Kidney repair after AKI**



Full Recovery 3aseline GFR > 90

#### Kidney repair after AKI

Am J Resp Crit Care 2017;195






#### **Marlies Ostermann**

AKI in kidney transplantation -Begins in the operation room and lasts forever



JUINE 6-9, ZUZU





# Marlies Ostermann AKI in kidney transplantation Begins in the operation room and lasts forever



